IN THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended): A process for producing solubilized keratin, which comprises:

hydrolyzing in an alkali solution a keratin raw material having a water content ranging from 20 to 80% by weight,

neutralizing the hydrolyzate liquid containing solubilized keratin, and extracting a solubilized keratin from the supernatant that has an average molecular weight of 8,000 to 13,000 Da (as determined by a gel filtration method).

- 2. (Previously Presented): The process according to claim 1, wherein the keratin raw material is cleaned with water, an organic solvent and/or a detergent prior to hydrolyzing it.
- 3. (Previously Presented): The process according to claim 1, wherein an alkali concentration is 0.1 to 0.5 mol/L.
- 4. (Previously Presented): The process according to claim 1, wherein the hydrolyzing occurs for 0.1 to 16 hours at a temperature ranging from 80 to 120°C.
- 5. (Previously Presented): The process according to claim 1 comprising neutralizing the keratin raw material with peroxide.
 - 6. (Cancelled)
- 7. (Currently Amended): The process according to claim 1, wherein the keratin raw material [[is]] comprises feathers.

8. (Currently Amended): A solubilized feather keratin having an average molecular weight of 8,000 to 13,000 Da (as determined by a gel filtration method) and manufactured by a process which comprises:

hydrolyzing in an alkali solution a keratin raw material comprising feathers having a water content ranging from 20 to 80% by weight,

neutralizing the hydrolyzate liquid containing solubilized keratin, and
extracting a solubilized keratin from the supernatant
the process according to claim 1 using feathers as keratin raw material.

9. (Currently Amended): A composition comprising:

[[the]] <u>a</u> solubilized keratin manufactured from feathers by the process according to claim 1 and

at least one other cosmetic ingredient,

wherein said composition is in a form suitable for use as a cosmetic.

10. (Currently Amended): A process for producing solubilized keratin, comprising: hydrolyzing in an alkali solution a keratin raw material having a water content ranging from 20 to 80% by weight,

removing undissolved matter and recovering a liquid hydrolyzate containing dissolved keratin,

neutralizing the liquid hydrolyzate, and

recovering keratin from the neutralized liquid hydrolyzate; wherein the keratin has an average molecular weight ranging from 8,000 to 13,000 Da (as determined by a gel filtration method).

11. (Previously Presented): The process of claim 10, wherein said keratin raw material comprises feathers.

- 12. (Previously Presented): The process of claim 10, wherein said alkali solution has an alkali concentration ranging from 0.1 to 0.5 mol/L.
- 13. (Previously Presented): The process of claim 10, wherein hydrolyzing occurs for 0.1 to 16 hours at a temperature ranging from 80 to 120°C.
- 14. (Previously Presented): The process of claim 10, comprising neutralizing the hydrolyzed keratin raw material with an acid and/or peroxide.
- 15. (Previously Presented): The process of claim 10, comprising neutralizing the hydrolyzed keratin raw material with acid.
- 16. (Previously Presented): The process of claim 10, comprising neutralizing the hydrolyzed keratin raw material with peroxide.
- 17. (Previously Presented): The process of claim 10, further comprising desalinating the neutralized keratin solution.
- 18. (Previously Presented): The process of claim 10, wherein the keratin raw material is a recycled or waste feather material.
- 19. (Currently Amended): A solubilized keratin which is colorless and odorless and which has been produced from feathers by the process of claim 10.
- 20. (Currently Amended): A process for producing a keratin hydrolysate, which comprises:

providing hydrated feathers, as a keratin raw material, having a hydrous state where the feathers contain 20% to 80% water content, and

hydrolysing the hydrated feathers in an alkali solution to produce a hydrolysate liquid;

wherein said keratin hydrolysate has an average molecular weight ranging from 8,000 to 13,000 Da (as determined by a gel filtration method).

- 21. (Previously Presented): The process of claim 20, further comprising: neutralizing the hydrolysate liquid, and extracting a soluble keratin from the neutralized hydrolysate liquid.
- 22. (Currently Amended): The process of claim 20, wherein said keratin hydrolysate has an average molecular weight ranging from 8,000 to 13,000 9,000 to 12,000 Da (as determined by a gel filtration method).
- 23. (Previously Presented): The process of claim 20, further comprising producing the hydrated feathers by immersing feathers in water, and then dehydrating the feathers until they reach a hydrous state where the feathers contain 20% to 80% water.
- 24. (Previously Presented): The process of claim 20, wherein the alkali solution contains 0.1 to 0.8 mol/L of sodium hydroxide, potassium hydroxide, calcium hydroxide, or ammonia.
- 25 (Previously Presented): The process of claim 20, further comprising neutralizing the hydrolysate liquid with acid and/or peroxide.
- 26 (New): The process of claim 20, further comprising preparing an ester derivative, quaternary ammonium derivative, acylated derivative, or sililated derivative of said keratin hydrolysate.

Application No. 10/594,758 Reply to Office Action of October 7, 2009

27 (New): The process of claim 20, wherein said keratin hydrolysate is not chemically modified.

28 (New): The solubilized feather keratin of claim 8, which is prepared as an ester derivative, quaternary ammonium derivative, acylated derivative, or sililated derivative of said the solubilized feather keratin.

29 (New): The solubilized feather keratin of claim 8, which is not chemically modified.